

(%)(

Docket No.: M4065.0973/P973

(PATENT)

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of: Bryan G. Cole et al.

Patent No.: 7,154,136

Issued: December 26, 2006

For: ISOLATION STRUCTURES FOR

PREVENTING PHOTONS AND CARRIERS FROM REACHING ACTIVE AREAS AND

METHODS OF FORMATION

Certificate

FEB **n 9** 2007

of Correction

## REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 CFR 1.322

Attention: Certificate of Correction Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentees noted an error which should be corrected.

In the Specification, the PTO made the following error to be corrected:

Column 6, line 17, "about 6000 Angstroms)." should read --(to a thickness of about 6000 Angstroms).--.

The error was not in the application as filed or amended by Applicants; accordingly no fee is required.

FEB 1 2 2007

Patent No.: 7,154,136 Docket No.: M4065.0973/P973

Transmitted herewith is a proposed Certificate of Correction effecting such amendment. Patentees respectfully solicit the granting of the requested Certificate of Correction.

Dated: February 7, 2007

Respectfully submitted,

Thomas J. D'Amico

Registration No.: 28,371

Steven M. War

Registration No.: 48,024

DICKSTEIN SHAPIRO LLP

1825 Eye Street, NW

Washington, DC 20006-5403

(202) 420-2200

Attorneys for Applicants

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. (Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1
-------------

PATENT NO.

7,154,136

APPLICATION NO. :

10/781,707

ISSUE DATE

December 26, 2006

**INVENTORS** 

Bryan G. Cole et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Specification, the following error is corrected:

Column 6, line 17, "about 6000 Angstroms)." should read --(to a thickness of about 6000 Angstroms).--.